



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/822,523	03/30/2001	Donald R. Parris	C0002	1075
21495	7590	04/28/2004	EXAMINER	
CORNING CABLE SYSTEMS LLC			KANG, JULIANA K	
P O BOX 489			ART UNIT	
HICKORY, NC 28603			PAPER NUMBER	
			2874	

DATE MAILED: 04/28/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/822,523

Applicant(s)

PARRIS ET AL.

Examiner

Juliana K. Kang

Art Unit

2874

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 29 March 2004.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-27, 29-42 and 44 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-27, 29-42 and 44 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

1. The request filed on Request for Continued Examination (RCE) under 37 CFR 1.114 based on parent Application No. 09/822,523 is acceptable and a RCE has been established. An action on the RCE follows.

Claim Rejections - 35 USC § 102

2. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.
3. **Claims 1- 5, 7-9, 11, 13-23, 26, 28, 30 and 31 are rejected under 35 U.S.C. 102(b) as being anticipated by Heinz et al (WO99/53353, submitted by applicant).**

Regarding claim 1, Heinz et al disclose a fiber optic cable comprising a strength member (IS, an inner strength member) in a tubular shell form having at least one fiber access opening (ISP) leading to a formed area, at least one optical fiber component (LW1..LWn) and a cable jacket (AM) generally surrounding the strength member (IS). Heinz et al's optical fiber *can be* accessed at the fiber access opening without substantially disturbing the strength member. Applicant states in the remarks mailed on March 29, 2004 that one can access the optical fiber by running a utility knife along the jacket and this does not disturb the strength member. This same process can be performed to Heinz et al's apparatus along the top-side of the cable shown in Fig. 4 to access the optical fiber without disturbing the strength member (S1). Thus, Heinz et al clearly anticipates the claimed structural limitations. Please note that the method of forming the device is not germane to the issue of patentability of the device itself.

Art Unit: 2874

Therefore, "said sheet manufactured in a forming process" has not been given patentable weight.

Regarding claims 2, 3 and 11, Heinz et al disclose that the strength member is made from a strip-shaped metal foil having a substantially uniform thickness (see page 19 lines 9-20).

Regarding claims 4 and 5, Heinz et al disclose that the strength member's thickness is expediently chosen between 0.1 and 1mm. Heinz et al also teach having different thickness or material for the cable elements. Choosing expedient thickness of cable elements would inherently provide the cable with a non-preferential or preferential bend characteristic depending on the thickness of the cable element chosen.

Regarding claims 7 and 8, Heinz et al show U-shaped with a generally flat bottom portion in Fig. 5.

Regarding claim 9, Heinz et al show a cross-sectional area of the cable being generally non-circular (see Figs. 6 and 7).

Regarding claim 13, Heinz et al disclose that the jacket may be a single-layer or multi-layer structure. Thus, when Heinz et al's jacket is a multi-layer structure, it includes an interfacial layer between the strength member and the outer jacket layer.

Regarding claims 14-16, Heinz et al disclose the fibers placed in a decoupling zone (chamber, KK2 [formed area]) filled with a water-blocking component (FM)(see page 25 lines 10-15).

Regarding claims 17-23, 28, 30, and 31, as described above, Heinz et al disclose the claimed optical fiber cable.

Regarding claim 26, Heinz et al disclose an interstice (gap on the bottom) filled with the jacket material (see Fig. 2).

4. Claims 1 and 17 are rejected under 35 U.S.C. 102(b) as being anticipated by Kimmich et al (U.S. Patent 4,852,966, submitted by applicant).

Regarding claim 1, Kimmich et al disclose an optical fiber cable comprising a corrugated sheet (strength member (4)) having fiber access openings (open-side of grooves) for optical fibers (5) with a formed area (grooves) and a cable jacket (2, 3) generally surrounding the strength member (4). Kimmich et al's fibers (5) *can be* accessed at the fiber access opening without substantially disturbing the strength member when the cable jacket is cut. Applicant states in the remarks mailed on March 29, 2004 that one can access the optical fiber by running a utility knife along the jacket and this does not disturb the strength member. This same process can be performed to Kimmich et al's apparatus along the cable (see Fig. 4) to access the optical fiber without disturbing the strength member. Thus, Kimmich et al clearly anticipates the claimed structural limitations. Please note that the method of forming the device is not germane to the issue of patentability of the device itself. Therefore, "said sheet manufactured in a forming process" has not been given patentable weight.

Regarding claim 17, Kimmich et al disclose a water-blocking component (6) (see column 2 lines 3-8), a decoupling zone (grooved area where the fiber is located) disposed in the formed area and an interfacial layer (6) disposed between an outer surface of the strength member and the cable jacket.

Claim Rejections - 35 USC § 103

5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

6. **Claims 10, 24 and 25 are rejected under 35 U.S.C. 103(a) as being unpatentable over Heinz et al as applied to claims 1 and 17 above, and further in view of Fitz et al (U.S. Patent 6,137,936).**

As described above, Heinz et al disclose the claimed optical cable except indicia. Fitz et al teach an optical fiber cable with a jacket including indicia to make the position of the strength member readily apparent from the external of the cable. Fitz et al further teach that the indicia, preferably, is a ridge or groove on or in a portion of the jacket surface. Heinz et al's cable also includes strength member (ZE1, ZE2, in Fig. 2), thus it would have been obvious to one with ordinary skill in the art at the time the invention was made to use indicia in Heinz et al as taught by Fitz et al to mark the cable elements that are embedded in the cable for easier recognition when it is desired to expose the optical cable elements.

7. **Claims 12, 27 and 32-44 rejected under 35 U.S.C. 103(a) as being unpatentable over Heinz et al.**

Regarding claims 32-41, 43 and 44, as described above, Heinz et al disclose the claimed optical fiber cable except the strain values of the cable for different tensile forces. Heinz et al teach the strength member material and the thickness that are same

Art Unit: 2874

or similar to the applicant. For example, Heinz et al's the strength member is made of metallic material and the thickness of the strength member is in the range of 0.1mm and 2mm while applicant's strength member is made of metallic material and the thickness is in the range of 0.25mm and 2mm. Thus, it would have been obvious to one with ordinary skill in the art at the time the invention was made to modify Heinz et al's strength member thickness or material to obtain any desired strain values including the applicant's claimed strain values, since it has been held that discovering an optimum value of a result effective variable involves only routine skill in the art. In re Boesch, 617 F.2d 272, 205 USPQ 215 (CCPA 1980).

Regarding claims 12, 27 and 42, as described above, Heinz et al teach the claimed invention including a metallic sheet and a cable-filling compound. However, Heinz et al do not explicitly teach a central electrical conductor surrounded by a dielectric material. Heinz et al teach that the cable is used for electrical and/or optical telecommunication cable (see page 20 lines 6-9). Thus, even though Heinz et al do not positively teach an electrical conductor placed in the formed area, it would have been obvious to one with ordinary skill in the art to use an electrical conductor, and to place the electrical conductor in the formed area to provide extra protection for the electrical conductor by placing them inside the strength member. Use of a dielectric material would have been also obvious to provide the insulation for the electrical conductor from the metal strength member.

8. Claims 6 and 29 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kimmich et al (U.S. Patent 4,852,966, submitted by applicant).

Regarding claims 6 and 29, as described above Kimmich et al disclose the claimed invention except the V-shaped formed area. Kimmich et al states that the strength member is a corrugated sheet. The term "corrugate" means to shape into folds or parallel and alternating ridges and grooves. Even though Kimmich et al only show generally U-shaped formed area, it would have been obvious to one with ordinary skill in the art to recognize the V-shaped formed area (ridge) as another shape of formed area. It is also noted that applicant does not provide the criticality of a V-shaped formed area.

Conclusion


9. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Ishikawa et al (U.S. Patent 6,122,426) show optical fibers that are placed in formed areas.

10. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Juliana K. Kang whose telephone number is (571) 272-2348. The examiner can normally be reached on Mon. & Fri. 10:00-6:00 and Tue. & Thur. 10:00-3:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Rod Bovernick can be reached on (571) 272-2344. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2874

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


Juliana Kang
April 19, 2004